

Push-in Technology   
Designed by PHOENIX CONTACT

# Unpack, connect, and you're done

Ready-to-connect PTFIX distribution blocks  
with Push-in Technology

# The innovative PTFIX distribution block system with Push-in connection


As automation becomes increasingly common, the number of sensors and actuators is also increasing – making potential distribution or collection more complex as a result. The demands on the connection technology used are numerous and unique. The intelligent PTFIX distribution block concept reduces your assembly times and has the right solution for every application.

## Find out more with the web code

For detailed information, use the web codes provided in this brochure. Simply enter # and the four-digit number in the search field on our website.

 Web code: #1234 (example)

Or use the direct link:  
[phoenixcontact.net/webcode/#1234](https://phoenixcontact.net/webcode/#1234)



## Contents

---

Ready-to-connect distribution blocks	
System overview	4

---

Configure and order distribution block solutions online	6
---	---

---


Product overview	
1.5 mm <sup>2</sup> distribution blocks	8
1.5 mm <sup>2</sup> distribution blocks with 4 mm <sup>2</sup> feed-in	12
2.5 mm <sup>2</sup> distribution blocks	14
2.5 mm <sup>2</sup> distribution blocks with 6 mm <sup>2</sup> feed-in	18
4 mm <sup>2</sup> distribution blocks	20
4 mm <sup>2</sup> distribution blocks with 10 mm <sup>2</sup> feed-in	24
Accessories	26

---

# Ready-to-connect PTFIX distribution blocks with Push-in connection

PTFIX distribution blocks are delivered ready to be connected, in different numbers of positions and mounting types. They can be used straight away and expanded as needed. Thus, PTFIX blocks ensure flexible and cost-effective load and control current distribution.

The Push-in connection technology enables you to insert wires quickly and easily. Even small conductors from 0.34 mm<sup>2</sup> can be connected reliably without using tools. Simply use the push button for disconnection purposes and to connect stranded conductors without ferrules.

 Web code: #1395

## Space-saving DIN rail mounting

Distribution block versions for transverse mounting on the DIN rail allow a high wiring density and space savings of up to 50 percent.


## Unpack, connect, and you're done

Ready-to-connect blocks enable fast assembly without manual bridging, offering time savings of up to 80%.




## Intuitive and secure installation

Distribution and power blocks with 6, 12, and 18 terminal points for intuitive and secure installation are available in eleven colors.




## Customized expansion

The distribution blocks can be arranged and expanded, checked, and marked individually with two-pos. plug-in bridges from the CLIPLINE complete system.



Push-in Technology   
Designed by PHOENIX CONTACT



### DIN rail mounting

The distribution blocks for mounting on 35 mm standard DIN rails enable clear and convenient cable routing. Distribution blocks for mounting on 15 mm standard DIN rails are available for use in small junction boxes.



### Mounting type: self-assembly

The basic blocks can be individually assembled with different adapters or flanges in accordance with the desired mounting type.




### Tool-free mounting

The self-adhesive distribution blocks can be quickly and easily mounted on flat surfaces with no need for preparation or tools.


# Configure and order distribution block solutions online

PTFIX distribution blocks and single layers provide you with countless combination possibilities. Our new online configurators provide you with support in the creation of your customized distribution block solution. Configure your distribution blocks with just a few entries, thanks to simple menus, 2D and 3D product images, and intuitive user interfaces: easy to create and easy to order.




## Easy repeat ordering

You can reorder your distribution block configuration at any time via the automatically generated solution ID, without having to enter additional information.




## Product selection

Depending on your requirement, start by combining the appropriate blocks and individual layers in accordance with cross section, number of terminal points, colors and mounting type.



### Customize the product

Specify the printing and accessories for your custom solution.



### 2D and 3D CAD data

Download design data in 2D and 3D format so you can use it directly in your CAD software.



### Request a quote

Send us your request directly from within the online configurator. We will prepare a non-binding quote for your individual configuration.

# 1.5 mm<sup>2</sup> PTFIX distribution blocks



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly	
			Type	Order no.
Current / voltage	GY	2	PTFIX 2X1,5 GY	<a href="#">1045923</a>
Solid / AWG		4	PTFIX 4X1,5 GY	<a href="#">1046608</a>
Stranded / AWG		6	PTFIX 6X1,5 GY	<a href="#">3002757</a>
Stranded, with ferrule with plastic sleeve		12	PTFIX 12X1,5 GY	<a href="#">3002758</a>
Stranded, with ferrule without plastic sleeve		18	PTFIX 18X1,5 GY	<a href="#">3002760</a>
Can be plugged in directly: solid / with ferrule	BU	2	PTFIX 2X1,5 BU	<a href="#">1045925</a>
Stripping length		4	PTFIX 4X1,5 BU	<a href="#">1046610</a>
		6	PTFIX 6X1,5 BU	<a href="#">3002761</a>
		12	PTFIX 12X1,5 BU	<a href="#">3002763</a>
		18	PTFIX 18X1,5 BU	<a href="#">3002764</a>
	RD	2	PTFIX 2X1,5 RD	<a href="#">1045929</a>
		4	PTFIX 4X1,5 RD	<a href="#">1046611</a>
		6	PTFIX 6X1,5 RD	<a href="#">3002765</a>
		12	PTFIX 12X1,5 RD	<a href="#">3002766</a>
		18	PTFIX 18X1,5 RD	<a href="#">3002767</a>
	YE	2	PTFIX 2X1,5 YE	<a href="#">1045931</a>
		4	PTFIX 4X1,5 YE	<a href="#">1046612</a>
		6	PTFIX 6X1,5 YE	<a href="#">3002768</a>
		12	PTFIX 12X1,5 YE	<a href="#">3002769</a>
		18	PTFIX 18X1,5 YE	<a href="#">3002770</a>
	GN	2	PTFIX 2X1,5 GN	<a href="#">1045932</a>
		4	PTFIX 4X1,5 GN	<a href="#">1046613</a>
		6	PTFIX 6X1,5 GN	<a href="#">3002771</a>
		12	PTFIX 12X1,5 GN	<a href="#">3002772</a>
		18	PTFIX 18X1,5 GN	<a href="#">3002773</a>
	BN	2	PTFIX 2X1,5 BN	<a href="#">1045935</a>
		4	PTFIX 4X1,5 BN	<a href="#">1046614</a>
		6	PTFIX 6X1,5 BN	<a href="#">3002774</a>
		12	PTFIX 12X1,5 BN	<a href="#">3002776</a>
		18	PTFIX 18X1,5 BN	<a href="#">3002777</a>





Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 15 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 6X1,5-G GY	3002798			PTFIX 6X1,5-NS15A GY	3002910
PTFIX 12X1,5-G GY	3002799			PTFIX 12X1,5-NS15A GY	3002914
PTFIX 18X1,5-G GY	3002804	PTFIX 18X1,5-NS35 GY	1046949	PTFIX 18X1,5-NS15A GY	3002917
PTFIX 6X1,5-G BU	3002864			PTFIX 6X1,5-NS15A BU	3002919
PTFIX 12X1,5-G BU	3002865			PTFIX 12X1,5-NS15A BU	3002922
PTFIX 18X1,5-G BU	3002876	PTFIX 18X1,5-NS35 BU	1046950	PTFIX 18X1,5-NS15A BU	3002926
PTFIX 6X1,5-G RD	3002877			PTFIX 6X1,5-NS15A RD	3002928
PTFIX 12X1,5-G RD	3002878			PTFIX 12X1,5-NS15A RD	3002931
PTFIX 18X1,5-G RD	3002879	PTFIX 18X1,5-NS35 RD	1046951	PTFIX 18X1,5-NS15A RD	3002934
PTFIX 6X1,5-G YE	3002880			PTFIX 6X1,5-NS15A YE	3002955
PTFIX 12X1,5-G YE	3002881			PTFIX 12X1,5-NS15A YE	3002958
PTFIX 18X1,5-G YE	3002882	PTFIX 18X1,5-NS35 YE	1046954	PTFIX 18X1,5-NS15A YE	3002961
PTFIX 6X1,5-G GN	3002883			PTFIX 6X1,5-NS15A GN	3002963
PTFIX 12X1,5-G GN	3002884			PTFIX 12X1,5-NS15A GN	3002964
PTFIX 18X1,5-G GN	3002886	PTFIX 18X1,5-NS35 GN	1046953	PTFIX 18X1,5-NS15A GN	3002965
PTFIX 6X1,5-G BN	3002887			PTFIX 6X1,5-NS15A BN	3002970
PTFIX 12X1,5-G BN	3002888			PTFIX 12X1,5-NS15A BN	3002971
PTFIX 18X1,5-G BN	3002889	PTFIX 18X1,5-NS35 BN	1046952	PTFIX 18X1,5-NS15A BN	3002972

# 1.5 mm<sup>2</sup> PTFIX distribution blocks



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly		
			Type	Order no.	
Current / voltage	17.5 A / 500 V	2	PTFIX 2X1,5 WH	<a href="#">1045936</a>	
Solid / AWG	0.14 ... 1.5 mm <sup>2</sup> / 26 ... 16	4	PTFIX 4X1,5 WH	<a href="#">1046615</a>	
Stranded / AWG	0.14 ... 1.5 mm <sup>2</sup> / 26 ... 16	6	PTFIX 6X1,5 WH	<a href="#">3002778</a>	
Stranded, with ferrule with plastic sleeve	0.25 ... 1.5 mm <sup>2</sup>	12	PTFIX 12X1,5 WH	<a href="#">3002779</a>	
Stranded, with ferrule without plastic sleeve	0.25 ... 1.5 mm <sup>2</sup>	18	PTFIX 18X1,5 WH	<a href="#">3002780</a>	
Can be plugged in directly: solid / with ferrule	0.34 ... 1.5 mm <sup>2</sup> / 0.5 ... 1.5 mm <sup>2</sup>	2	PTFIX 2X1,5 BK	<a href="#">1045937</a>	
Stripping length	8 ... 10 mm	4	PTFIX 4X1,5 BK	<a href="#">1046616</a>	
	BK	6	PTFIX 6X1,5 BK	<a href="#">3002781</a>	
		12	PTFIX 12X1,5 BK	<a href="#">3002782</a>	
		18	PTFIX 18X1,5 BK	<a href="#">3002783</a>	
		VT	2	PTFIX 2X1,5 VT	<a href="#">1045940</a>
			4	PTFIX 4X1,5 VT	<a href="#">1046617</a>
	6		PTFIX 6X1,5 VT	<a href="#">3002784</a>	
	12		PTFIX 12X1,5 VT	<a href="#">3002785</a>	
	18		PTFIX 18X1,5 VT	<a href="#">3002786</a>	
	PK	2	PTFIX 2X1,5 PK	<a href="#">1045941</a>	
		4	PTFIX 4X1,5 PK	<a href="#">1046618</a>	
		6	PTFIX 6X1,5 PK	<a href="#">3002787</a>	
		12	PTFIX 12X1,5 PK	<a href="#">3002789</a>	
		18	PTFIX 18X1,5 PK	<a href="#">3002790</a>	
	OG	2	PTFIX 2X1,5 OG	<a href="#">1045939</a>	
		4	PTFIX 4X1,5 OG	<a href="#">1046619</a>	
		6	PTFIX 6X1,5 OG	<a href="#">3002792</a>	
		12	PTFIX 12X1,5 OG	<a href="#">3002793</a>	
		18	PTFIX 18X1,5 OG	<a href="#">3002794</a>	
	FE	2	PTFIX 2X1,5-FE	<a href="#">1045933</a>	
		4	PTFIX 4X1,5-FE	<a href="#">1046620</a>	
		6	PTFIX 6X1,5-FE	<a href="#">3002795</a>	
		12	PTFIX 12X1,5-FE	<a href="#">3002796</a>	
		18	PTFIX 18X1,5-FE	<a href="#">3002797</a>	



Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 15 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 6X1,5-G WH	3002890			PTFIX 6X1,5-NS15A WH	3002936
PTFIX 12X1,5-G WH	3002891			PTFIX 12X1,5-NS15A WH	3002941
PTFIX 18X1,5-G WH	3002892	PTFIX 18X1,5-NS35 WH	1046956	PTFIX 18X1,5-NS15A WH	3002944
PTFIX 6X1,5-G BK	3002893			PTFIX 6X1,5-NS15A BK	3002967
PTFIX 12X1,5-G BK	3002894			PTFIX 12X1,5-NS15A BK	3002968
PTFIX 18X1,5-G BK	3002895	PTFIX 18X1,5-NS35 BK	1046955	PTFIX 18X1,5-NS15A BK	3002969
PTFIX 6X1,5-G VT	3002896			PTFIX 6X1,5-NS15A VT	3002973
PTFIX 12X1,5-G VT	3002897			PTFIX 12X1,5-NS15A VT	3002974
PTFIX 18X1,5-G VT	3002899	PTFIX 18X1,5-NS35 VT	1046957	PTFIX 18X1,5-NS15A VT	3002975
PTFIX 6X1,5-G PK	3002900			PTFIX 6X1,5-NS15A PK	3002976
PTFIX 12X1,5-G PK	3002901			PTFIX 12X1,5-NS15A PK	3002977
PTFIX 18X1,5-G PK	3002902	PTFIX 18X1,5-NS35 PK	1046959	PTFIX 18X1,5-NS15A PK	3002978
PTFIX 6X1,5-G OG	3002903			PTFIX 6X1,5-NS15A OG	3002946
PTFIX 12X1,5-G OG	3002904			PTFIX 12X1,5-NS15A OG	3002949
PTFIX 18X1,5-G OG	3002905	PTFIX 18X1,5-NS35 OG	1046958	PTFIX 18X1,5-NS15A OG	3002952
PTFIX 6X1,5-G-FE	3002906			PTFIX 6X1,5-NS15A-FE	3002980
PTFIX 12X1,5-G-FE	3002907			PTFIX 12X1,5-NS15A-FE	3002981
PTFIX 18X1,5-G-FE	3002909	PTFIX 18X1,5-NS35-FE	1046960	PTFIX 18X1,5-NS15A-FE	3002983

# 1.5 mm<sup>2</sup> PTFIX distribution blocks with 4 mm<sup>2</sup> feed-in



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly		
			Type	Order no.	
<b>Power contact:</b>	GY	7	PTFIX 4/6X1,5 GY	1047466	
Current / voltage		13	PTFIX 4/12X1,5 GY	1046961	
Solid / AWG		19	PTFIX 4/18X1,5 GY	1047418	
Stranded / AWG		BU	7	PTFIX 4/6X1,5 BU	1047467
Stranded, with ferrule with plastic sleeve			13	PTFIX 4/12X1,5 BU	1046962
Stranded, with ferrule without plastic sleeve			19	PTFIX 4/18X1,5 BU	1047419
2 conductors with TWIN ferrule		RD	7	PTFIX 4/6X1,5 RD	1047468
Can be plugged in directly: solid / with ferrule			13	PTFIX 4/12X1,5 RD	1046963
Stripping length			19	PTFIX 4/18X1,5 RD	1047420
<b>Pick-off contacts:</b>	YE	7	PTFIX 4/6X1,5 YE	1047471	
Current / voltage		13	PTFIX 4/12X1,5 YE	1046966	
Solid / AWG		19	PTFIX 4/18X1,5 YE	1047423	
Stranded / AWG	GN	7	PTFIX 4/6X1,5 GN	1047470	
Stranded, with ferrule with plastic sleeve		13	PTFIX 4/12X1,5 GN	1046965	
Stranded, with ferrule without plastic sleeve		19	PTFIX 4/18X1,5 GN	1047422	
Can be plugged in directly: solid / with ferrule	BN	7	PTFIX 4/6X1,5 BN	1047469	
Stripping length		13	PTFIX 4/12X1,5 BN	1046964	
		19	PTFIX 4/18X1,5 BN	1047421	
	WH	7	PTFIX 4/6X1,5 WH	1047473	
		13	PTFIX 4/12X1,5 WH	1046972	
		19	PTFIX 4/18X1,5 WH	1047425	
	BK	7	PTFIX 4/6X1,5 BK	1047472	
		13	PTFIX 4/12X1,5 BK	1046967	
		19	PTFIX 4/18X1,5 BK	1047424	
	VT	7	PTFIX 4/6X1,5 VT	1047474	
		13	PTFIX 4/12X1,5 VT	1046968	
		19	PTFIX 4/18X1,5 VT	1047426	
	PK	6	PTFIX 4/6X1,5 PK	1047476	
		12	PTFIX 4/12X1,5 PK	1046970	
		18	PTFIX 4/18X1,5 PK	1047428	
	OG	7	PTFIX 4/6X1,5 OG	1047475	
		13	PTFIX 4/12X1,5 OG	1046969	
		19	PTFIX 4/18X1,5 OG	1047427	
	FE	7	PTFIX 4/6X1,5-FE	1047477	
		13	PTFIX 4/12X1,5-FE	1046971	
		19	PTFIX 4/18X1,5-FE	1047429	







Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 15 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 4/6X1,5-G GY	1047478			PTFIX 4/6X1,5-NS15A GY	1047490
PTFIX 4/12X1,5-G GY	1046973			PTFIX 4/12X1,5-NS15A GY	1046985
PTFIX 4/18X1,5-G GY	1047430	PTFIX 4/18X1,5-NS35 GY	1047454	PTFIX 4/18X1,5-NS15A GY	1047442
PTFIX 4/6X1,5-G BU	1047479			PTFIX 4/6X1,5-NS15A BU	1047491
PTFIX 4/12X1,5-G BU	1046974			PTFIX 4/12X1,5-NS15A BU	1046986
PTFIX 4/18X1,5-G BU	1047431	PTFIX 4/18X1,5-NS35 BU	1047455	PTFIX 4/18X1,5-NS15A BU	1047443
PTFIX 4/6X1,5-G RD	1047480			PTFIX 4/6X1,5-NS15A RD	1047492
PTFIX 4/12X1,5-G RD	1046975			PTFIX 4/12X1,5-NS15A RD	1046987
PTFIX 4/18X1,5-G RD	1047432	PTFIX 4/18X1,5-NS35 RD	1047456	PTFIX 4/18X1,5-NS15A RD	1047444
PTFIX 4/6X1,5-G YE	1047483			PTFIX 4/6X1,5-NS15A YE	1047495
PTFIX 4/12X1,5-G YE	1046978			PTFIX 4/12X1,5-NS15A YE	1046990
PTFIX 4/18X1,5-G YE	1047435	PTFIX 4/18X1,5-NS35 YE	1047459	PTFIX 4/18X1,5-NS15A YE	1047447
PTFIX 4/6X1,5-G GN	1047482			PTFIX 4/6X1,5-NS15A GN	1047494
PTFIX 4/12X1,5-G GN	1046977			PTFIX 4/12X1,5-NS15A GN	1046989
PTFIX 4/18X1,5-G GN	1047434	PTFIX 4/18X1,5-NS35 GN	1047458	PTFIX 4/18X1,5-NS15A GN	1047446
PTFIX 4/6X1,5-G BN	1047481			PTFIX 4/6X1,5-NS15A BN	1047493
PTFIX 4/12X1,5-G BN	1046976			PTFIX 4/12X1,5-NS15A BN	1046988
PTFIX 4/18X1,5-G BN	1047433	PTFIX 4/18X1,5-NS35 BN	1047457	PTFIX 4/18X1,5-NS15A BN	1047445
PTFIX 4/6X1,5-G WH	1047485			PTFIX 4/6X1,5-NS15A WH	1047497
PTFIX 4/12X1,5-G WH	1046980			PTFIX 4/12X1,5-NS15A WH	1046992
PTFIX 4/18X1,5-G WH	1047437	PTFIX 4/18X1,5-NS35 WH	1047461	PTFIX 4/18X1,5-NS15A WH	1047449
PTFIX 4/6X1,5-G BK	1047484			PTFIX 4/6X1,5-NS15A BK	1047496
PTFIX 4/12X1,5-G BK	1046979			PTFIX 4/12X1,5-NS15A BK	1046991
PTFIX 4/18X1,5-G BK	1047436	PTFIX 4/18X1,5-NS35 BK	1047460	PTFIX 4/18X1,5-NS15A BK	1047448
PTFIX 4/6X1,5-G VT	1047486			PTFIX 4/6X1,5-NS15A VT	1047498
PTFIX 4/12X1,5-G VT	1046981			PTFIX 4/12X1,5-NS15A VT	1046993
PTFIX 4/18X1,5-G VT	1047438	PTFIX 4/18X1,5-NS35 VT	1047462	PTFIX 4/18X1,5-NS15A VT	1047450
PTFIX 4/6X1,5-G PK	1047488			PTFIX 4/6X1,5-NS15A PK	1047500
PTFIX 4/12X1,5-G PK	1046983			PTFIX 4/12X1,5-NS15A PK	1046995
PTFIX 4/18X1,5-G PK	1047440	PTFIX 4/18X1,5-NS35 PK	1047464	PTFIX 4/18X1,5-NS15A PK	1047452
PTFIX 4/6X1,5-G OG	1047487			PTFIX 4/6X1,5-NS15A OG	1047499
PTFIX 4/12X1,5-G OG	1046982			PTFIX 4/12X1,5-NS15A OG	1046994
PTFIX 4/18X1,5-G OG	1047439	PTFIX 4/18X1,5-NS35 OG	1047463	PTFIX 4/18X1,5-NS15A OG	1047451
PTFIX 4/6X1,5-G-FE	1047489			PTFIX 4/6X1,5-NS15A-FE	1047501
PTFIX 4/12X1,5-G-FE	1046984			PTFIX 4/12X1,5-NS15A-FE	1046996
PTFIX 4/18X1,5-G-FE	1047441	PTFIX 4/18X1,5-NS35-FE	1047465	PTFIX 4/18X1,5-NS15A-FE	1047453

## 2.5 mm<sup>2</sup> PTFIX distribution blocks



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly		
			Type	Order no.	
Current / voltage	GY	24 A / 690 V	2	PTFIX 2X2,5 GY	<a href="#">1028067</a>
Solid / AWG		0.14 ... 4 mm <sup>2</sup> / 26 ... 12	6	PTFIX 6X2,5 GY	<a href="#">3273264</a>
Stranded / AWG		0.14 ... 2.5 mm <sup>2</sup> / 26 ... 14	12	PTFIX 12X2,5 GY	<a href="#">3273286</a>
Stranded, with ferrule with plastic sleeve		0.14 ... 2.5 mm <sup>2</sup>	18	PTFIX 18X2,5 GY	<a href="#">3273308</a>
Stranded, with ferrule without plastic sleeve	BU	0.14 ... 2.5 mm <sup>2</sup>	2	PTFIX 2X2,5 BU	<a href="#">1028068</a>
2 conductors with TWIN ferrule		0.5 mm <sup>2</sup>	6	PTFIX 6X2,5 BU	<a href="#">3273266</a>
Can be plugged in directly: solid / with ferrule		0.34 ... 4 mm <sup>2</sup> / 0.34 ... 2.5 mm <sup>2</sup>	12	PTFIX 12X2,5 BU	<a href="#">3273288</a>
Stripping length		8 ... 10 mm	18	PTFIX 18X2,5 BU	<a href="#">3273310</a>
	RD		2	PTFIX 2X2,5 RD	<a href="#">1028069</a>
			6	PTFIX 6X2,5 RD	<a href="#">3273268</a>
			12	PTFIX 12X2,5 RD	<a href="#">3273290</a>
			18	PTFIX 18X2,5 RD	<a href="#">3273312</a>
	YE		2	PTFIX 2X2,5 YE	<a href="#">1028070</a>
			6	PTFIX 6X2,5 YE	<a href="#">3273270</a>
			12	PTFIX 12X2,5 YE	<a href="#">3273292</a>
			18	PTFIX 18X2,5 YE	<a href="#">3273314</a>
	GN		2	PTFIX 2X2,5 GN	<a href="#">1028071</a>
			6	PTFIX 6X2,5 GN	<a href="#">3273272</a>
			12	PTFIX 12X2,5 GN	<a href="#">3273294</a>
			18	PTFIX 18X2,5 GN	<a href="#">3273316</a>
	BN		2	PTFIX 2X2,5 BN	<a href="#">1028072</a>
			6	PTFIX 6X2,5 BN	<a href="#">3273274</a>
			12	PTFIX 12X2,5 BN	<a href="#">3273296</a>
			18	PTFIX 18X2,5 BN	<a href="#">3273318</a>





							
Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 35 DIN rail, along the DIN rail		Mounting on NS 15 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 6X2,5-G GY	<a href="#">3273395</a>	PTFIX 6X2,5-NS35 GY	<a href="#">3273000</a>	PTFIX 6X2,5-NS35A GY	<a href="#">3273132</a>	PTFIX 6X2,5-NS15A GY	<a href="#">3274100</a>
PTFIX 12X2,5-G GY	<a href="#">3273416</a>	PTFIX 12X2,5-NS35 GY	<a href="#">3273022</a>	PTFIX 12X2,5-NS35A GY	<a href="#">3273154</a>	PTFIX 12X2,5-NS15A GY	<a href="#">3274122</a>
PTFIX 18X2,5-G GY	<a href="#">3273438</a>	PTFIX 18X2,5-NS35 GY	<a href="#">3273044</a>	PTFIX 18X2,5-NS35A GY	<a href="#">3273176</a>	PTFIX 18X2,5-NS15A GY	<a href="#">3274144</a>
PTFIX 6X2,5-G BU	<a href="#">3273396</a>	PTFIX 6X2,5-NS35 BU	<a href="#">3273002</a>	PTFIX 6X2,5-NS35A BU	<a href="#">3273134</a>	PTFIX 6X2,5-NS15A BU	<a href="#">3274102</a>
PTFIX 12X2,5-G BU	<a href="#">3273418</a>	PTFIX 12X2,5-NS35 BU	<a href="#">3273024</a>	PTFIX 12X2,5-NS35A BU	<a href="#">3273156</a>	PTFIX 12X2,5-NS15A BU	<a href="#">3274124</a>
PTFIX 18X2,5-G BU	<a href="#">3273440</a>	PTFIX 18X2,5-NS35 BU	<a href="#">3273046</a>	PTFIX 18X2,5-NS35A BU	<a href="#">3273178</a>	PTFIX 18X2,5-NS15A BU	<a href="#">3274146</a>
PTFIX 6X2,5-G RD	<a href="#">3273398</a>	PTFIX 6X2,5-NS35 RD	<a href="#">3273004</a>	PTFIX 6X2,5-NS35A RD	<a href="#">3273136</a>	PTFIX 6X2,5-NS15A RD	<a href="#">3274104</a>
PTFIX 12X2,5-G RD	<a href="#">3273420</a>	PTFIX 12X2,5-NS35 RD	<a href="#">3273026</a>	PTFIX 12X2,5-NS35A RD	<a href="#">3273158</a>	PTFIX 12X2,5-NS15A RD	<a href="#">3274126</a>
PTFIX 18X2,5-G RD	<a href="#">3273442</a>	PTFIX 18X2,5-NS35 RD	<a href="#">3273048</a>	PTFIX 18X2,5-NS35A RD	<a href="#">3273180</a>	PTFIX 18X2,5-NS15A RD	<a href="#">3274148</a>
PTFIX 6X2,5-G YE	<a href="#">3273400</a>	PTFIX 6X2,5-NS35 YE	<a href="#">3273006</a>	PTFIX 6X2,5-NS35A YE	<a href="#">3273138</a>	PTFIX 6X2,5-NS15A YE	<a href="#">3274106</a>
PTFIX 12X2,5-G YE	<a href="#">3273422</a>	PTFIX 12X2,5-NS35 YE	<a href="#">3273028</a>	PTFIX 12X2,5-NS35A YE	<a href="#">3273160</a>	PTFIX 12X2,5-NS15A YE	<a href="#">3274128</a>
PTFIX 18X2,5-G YE	<a href="#">3273444</a>	PTFIX 18X2,5-NS35 YE	<a href="#">3273050</a>	PTFIX 18X2,5-NS35A YE	<a href="#">3273182</a>	PTFIX 18X2,5-NS15A YE	<a href="#">3274150</a>
PTFIX 6X2,5-G GN	<a href="#">3273402</a>	PTFIX 6X2,5-NS35 GN	<a href="#">3273008</a>	PTFIX 6X2,5-NS35A GN	<a href="#">3273140</a>	PTFIX 6X2,5-NS15A GN	<a href="#">3274108</a>
PTFIX 12X2,5-G GN	<a href="#">3273424</a>	PTFIX 12X2,5-NS35 GN	<a href="#">3273030</a>	PTFIX 12X2,5-NS35A GN	<a href="#">3273162</a>	PTFIX 12X2,5-NS15A GN	<a href="#">3274130</a>
PTFIX 18X2,5-G GN	<a href="#">3273446</a>	PTFIX 18X2,5-NS35 GN	<a href="#">3273052</a>	PTFIX 18X2,5-NS35A GN	<a href="#">3273184</a>	PTFIX 18X2,5-NS15A GN	<a href="#">3274152</a>
PTFIX 6X2,5-G BN	<a href="#">3273404</a>	PTFIX 6X2,5-NS35 BN	<a href="#">3273010</a>	PTFIX 6X2,5-NS35A BN	<a href="#">3273142</a>	PTFIX 6X2,5-NS15A BN	<a href="#">3274110</a>
PTFIX 12X2,5-G BN	<a href="#">3273426</a>	PTFIX 12X2,5-NS35 BN	<a href="#">3273032</a>	PTFIX 12X2,5-NS35A BN	<a href="#">3273164</a>	PTFIX 12X2,5-NS15A BN	<a href="#">3274132</a>
PTFIX 18X2,5-G BN	<a href="#">3273448</a>	PTFIX 18X2,5-NS35 BN	<a href="#">3273054</a>	PTFIX 18X2,5-NS35A BN	<a href="#">3273186</a>	PTFIX 18X2,5-NS15A BN	<a href="#">3274154</a>

## 2.5 mm<sup>2</sup> PTFIX distribution blocks



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly	
			Type	Order no.
Current / voltage	WH	2	PTFIX 2X2,5 WH	<a href="#">1028073</a>
Solid / AWG		6	PTFIX 6X2,5 WH	<a href="#">3273276</a>
Stranded / AWG		12	PTFIX 12X2,5 WH	<a href="#">3273298</a>
Stranded, with ferrule with plastic sleeve		18	PTFIX 18X2,5 WH	<a href="#">3273320</a>
Stranded, with ferrule without plastic sleeve	BK	2	PTFIX 2X2,5 BK	<a href="#">1028074</a>
2 conductors with TWIN ferrule		6	PTFIX 6X2,5 BK	<a href="#">3273278</a>
Can be plugged in directly: solid / with ferrule		12	PTFIX 12X2,5 BK	<a href="#">3273300</a>
Stripping length		18	PTFIX 18X2,5 BK	<a href="#">3273322</a>
	VT	2	PTFIX 2X2,5 VT	<a href="#">1028075</a>
		6	PTFIX 6X2,5 VT	<a href="#">3273280</a>
		12	PTFIX 12X2,5 VT	<a href="#">3273302</a>
		18	PTFIX 18X2,5 VT	<a href="#">3273324</a>
	PK	2	PTFIX 2X2,5 PK	<a href="#">1028076</a>
		6	PTFIX 6X2,5 PK	<a href="#">3273281</a>
		12	PTFIX 12X2,5 PK	<a href="#">3273303</a>
		18	PTFIX 18X2,5 PK	<a href="#">3273325</a>
	OG	2	PTFIX 2X2,5 OG	<a href="#">1028077</a>
		6	PTFIX 6X2,5 OG	<a href="#">3273282</a>
		12	PTFIX 12X2,5 OG	<a href="#">3273304</a>
		18	PTFIX 18X2,5 OG	<a href="#">3273326</a>
	FE	2	PTFIX 2X2,5-FE	<a href="#">1028078</a>
		6	PTFIX 6X2,5-FE	<a href="#">3273284</a>
		12	PTFIX 12X2,5-FE	<a href="#">3273306</a>
		18	PTFIX 18X2,5-FE	<a href="#">3273328</a>



							
Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 35 DIN rail, along the DIN rail		Mounting on NS 15 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 6X2,5-G WH	3273406	PTFIX 6X2,5-NS35 WH	3273012	PTFIX 6X2,5-NS35A WH	3273144	PTFIX 6X2,5-NS15A WH	3274112
PTFIX 12X2,5-G WH	3273428	PTFIX 12X2,5-NS35 WH	3273034	PTFIX 12X2,5-NS35A WH	3273166	PTFIX 12X2,5-NS15A WH	3274134
PTFIX 18X2,5-G WH	3273450	PTFIX 18X2,5-NS35 WH	3273056	PTFIX 18X2,5-NS35A WH	3273188	PTFIX 18X2,5-NS15A WH	3274156
PTFIX 6X2,5-G BK	3273408	PTFIX 6X2,5-NS35 BK	3273014	PTFIX 6X2,5-NS35A BK	3273146	PTFIX 6X2,5-NS15A BK	3274114
PTFIX 12X2,5-G BK	3273430	PTFIX 12X2,5-NS35 BK	3273036	PTFIX 12X2,5-NS35A BK	3273168	PTFIX 12X2,5-NS15A BK	3274136
PTFIX 18X2,5-G BK	3273452	PTFIX 18X2,5-NS35 BK	3273058	PTFIX 18X2,5-NS35A BK	3273190	PTFIX 18X2,5-NS15A BK	3274158
PTFIX 6X2,5-G VT	3273410	PTFIX 6X2,5-NS35 VT	3273016	PTFIX 6X2,5-NS35A VT	3273148	PTFIX 6X2,5-NS15A VT	3274116
PTFIX 12X2,5-G VT	3273432	PTFIX 12X2,5-NS35 VT	3273038	PTFIX 12X2,5-NS35A VT	3273170	PTFIX 12X2,5-NS15A VT	3274138
PTFIX 18X2,5-G VT	3273454	PTFIX 18X2,5-NS35 VT	3273060	PTFIX 18X2,5-NS35A VT	3273192	PTFIX 18X2,5-NS15A VT	3274160
PTFIX 6X2,5-G PK	3273411	PTFIX 6X2,5-NS35 PK	3273017	PTFIX 6X2,5-NS35A PK	3273149	PTFIX 6X2,5-NS15A PK	3274117
PTFIX 12X2,5-G PK	3273433	PTFIX 12X2,5-NS35 PK	3273039	PTFIX 12X2,5-NS35A PK	3273171	PTFIX 12X2,5-NS15A PK	3274139
PTFIX 18X2,5-G PK	3273455	PTFIX 18X2,5-NS35 PK	3273061	PTFIX 18X2,5-NS35A PK	3273193	PTFIX 18X2,5-NS15A PK	3274161
PTFIX 6X2,5-G OG	3273412	PTFIX 6X2,5-NS35 OG	3273018	PTFIX 6X2,5-NS35A OG	3273150	PTFIX 6X2,5-NS15A OG	3274118
PTFIX 12X2,5-G OG	3273434	PTFIX 12X2,5-NS35 OG	3273040	PTFIX 12X2,5-NS35A OG	3273172	PTFIX 12X2,5-NS15A OG	3274140
PTFIX 18X2,5-G OG	3273456	PTFIX 18X2,5-NS35 OG	3273062	PTFIX 18X2,5-NS35A OG	3273194	PTFIX 18X2,5-NS15A OG	3274162
PTFIX 6X2,5-FE-G	3273414	PTFIX 6X2,5-NS35-FE	3273020	PTFIX 6X2,5-NS35A-FE	3273152	PTFIX 6X2,5-NS15A-FE	3274120
PTFIX 12X2,5-FE-G	3273436	PTFIX 12X2,5-NS35-FE	3273042	PTFIX 12X2,5-NS35A-FE	3273174	PTFIX 12X2,5-NS15A-FE	3274142
PTFIX 18X2,5-FE-G	3273458	PTFIX 18X2,5-NS35-FE	3273064	PTFIX 18X2,5-NS35A-FE	3273196	PTFIX 18X2,5-NS15A-FE	3274164

## 2.5 mm<sup>2</sup> PTFIX distribution blocks with 6 mm<sup>2</sup> feed-in



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly		
			Type	Order no.	
<b>Power contact:</b>	GY	7	PTFIX 6/6X2,5 GY	3273330	
Current / voltage		13	PTFIX 6/12X2,5 GY	3273352	
Solid / AWG		19	PTFIX 6/18X2,5 GY	3273374	
Stranded / AWG		BU	7	PTFIX 6/6X2,5 BU	3273332
Stranded, with ferrule with plastic sleeve			13	PTFIX 6/12X2,5 BU	3273354
Stranded, with ferrule without plastic sleeve			19	PTFIX 6/18X2,5 BU	3273376
2 conductors with TWIN ferrule		RD	7	PTFIX 6/6X2,5 RD	3273334
Can be plugged in directly: solid / with ferrule			13	PTFIX 6/12X2,5 RD	3273356
Stripping length			19	PTFIX 6/18X2,5 RD	3273378
	YE	7	PTFIX 6/6X2,5 YE	3273336	
<b>Pick-off contacts:</b>		13	PTFIX 6/12X2,5 YE	3273358	
Current / voltage		19	PTFIX 6/18X2,5 YE	3273380	
Solid / AWG	GN	7	PTFIX 6/6X2,5 GN	3273338	
Stranded / AWG		13	PTFIX 6/12X2,5 GN	3273360	
Stranded, with ferrule with plastic sleeve		19	PTFIX 6/18X2,5 GN	3273382	
Stranded, with ferrule without plastic sleeve	BN	7	PTFIX 6/6X2,5 BN	3273340	
2 conductors with TWIN ferrule		13	PTFIX 6/12X2,5 BN	3273362	
Can be plugged in directly: solid / with ferrule		19	PTFIX 6/18X2,5 BN	3273384	
Stripping length	WH	7	PTFIX 6/6X2,5 WH	3273342	
		13	PTFIX 6/12X2,5 WH	3273364	
		19	PTFIX 6/18X2,5 WH	3273386	
	BK	7	PTFIX 6/6X2,5 BK	3273344	
		13	PTFIX 6/12X2,5 BK	3273366	
		19	PTFIX 6/18X2,5 BK	3273388	
	VT	7	PTFIX 6/6X2,5 VT	3273346	
		13	PTFIX 6/12X2,5 VT	3273368	
		19	PTFIX 6/18X2,5 VT	3273390	
	PK	6	PTFIX 6/6X2,5 PK	3273347	
		12	PTFIX 6/12X2,5 PK	3273369	
		18	PTFIX 6/18X2,5 PK	3273391	
	OG	7	PTFIX 6/6X2,5 OG	3273348	
		13	PTFIX 6/12X2,5 OG	3273370	
		19	PTFIX 6/18X2,5 OG	3273392	
	FE	7	PTFIX 6/6X2,5-FE	3273350	
		13	PTFIX 6/12X2,5-FE	3273372	
		19	PTFIX 6/18X2,5-FE	3273394	

							
Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 35 DIN rail, along the DIN rail		Mounting on NS 15 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 6/6X2,5-G GY	<a href="#">3273460</a>	PTFIX 6/6X2,5-NS35 GY	<a href="#">3273066</a>	PTFIX 6/6X2,5-NS35A GY	<a href="#">3273198</a>	PTFIX 6/6X2,5-NS15A GY	<a href="#">3274166</a>
PTFIX 6/12X2,5-G GY	<a href="#">3273482</a>	PTFIX 6/12X2,5-NS35 GY	<a href="#">3273088</a>	PTFIX 6/12X2,5-NS35A GY	<a href="#">3273220</a>	PTFIX 6/12X2,5-NS15A GY	<a href="#">3274188</a>
PTFIX 6/18X2,5-G GY	<a href="#">3273504</a>	PTFIX 6/18X2,5-NS35 GY	<a href="#">3273110</a>	PTFIX 6/18X2,5-NS35A GY	<a href="#">3273242</a>	PTFIX 6/18X2,5-NS15A GY	<a href="#">3274210</a>
PTFIX 6/6X2,5-G BU	<a href="#">3273462</a>	PTFIX 6/6X2,5-NS35 BU	<a href="#">3273068</a>	PTFIX 6/6X2,5-NS35A BU	<a href="#">3273200</a>	PTFIX 6/6X2,5-NS15A BU	<a href="#">3274168</a>
PTFIX 6/12X2,5-G BU	<a href="#">3273484</a>	PTFIX 6/12X2,5-NS35 BU	<a href="#">3273090</a>	PTFIX 6/12X2,5-NS35A BU	<a href="#">3273222</a>	PTFIX 6/12X2,5-NS15A BU	<a href="#">3274190</a>
PTFIX 6/18X2,5-G BU	<a href="#">3273506</a>	PTFIX 6/18X2,5-NS35 BU	<a href="#">3273112</a>	PTFIX 6/18X2,5-NS35A BU	<a href="#">3273244</a>	PTFIX 6/18X2,5-NS15A BU	<a href="#">3274212</a>
PTFIX 6/6X2,5-G RD	<a href="#">3273464</a>	PTFIX 6/6X2,5-NS35 RD	<a href="#">3273070</a>	PTFIX 6/6X2,5-NS35A RD	<a href="#">3273202</a>	PTFIX 6/6X2,5-NS15A RD	<a href="#">3274170</a>
PTFIX 6/12X2,5-G RD	<a href="#">3273486</a>	PTFIX 6/12X2,5-NS35 RD	<a href="#">3273092</a>	PTFIX 6/12X2,5-NS35A RD	<a href="#">3273224</a>	PTFIX 6/12X2,5-NS15A RD	<a href="#">3274192</a>
PTFIX 6/18X2,5-G RD	<a href="#">3273508</a>	PTFIX 6/18X2,5-NS35 RD	<a href="#">3273114</a>	PTFIX 6/18X2,5-NS35A RD	<a href="#">3273246</a>	PTFIX 6/18X2,5-NS15A RD	<a href="#">3274214</a>
PTFIX 6/6X2,5-G YE	<a href="#">3273466</a>	PTFIX 6/6X2,5-NS35 YE	<a href="#">3273072</a>	PTFIX 6/6X2,5-NS35A YE	<a href="#">3273204</a>	PTFIX 6/6X2,5-NS15A YE	<a href="#">3274172</a>
PTFIX 6/12X2,5-G YE	<a href="#">3273488</a>	PTFIX 6/12X2,5-NS35 YE	<a href="#">3273094</a>	PTFIX 6/12X2,5-NS35A YE	<a href="#">3273226</a>	PTFIX 6/12X2,5-NS15A YE	<a href="#">3274194</a>
PTFIX 6/18X2,5-G YE	<a href="#">3273510</a>	PTFIX 6/18X2,5-NS35 YE	<a href="#">3273116</a>	PTFIX 6/18X2,5-NS35A YE	<a href="#">3273248</a>	PTFIX 6/18X2,5-NS15A YE	<a href="#">3274216</a>
PTFIX 6/6X2,5-G GN	<a href="#">3273468</a>	PTFIX 6/6X2,5-NS35 GN	<a href="#">3273074</a>	PTFIX 6/6X2,5-NS35A GN	<a href="#">3273206</a>	PTFIX 6/6X2,5-NS15A GN	<a href="#">3274174</a>
PTFIX 6/12X2,5-G GN	<a href="#">3273490</a>	PTFIX 6/12X2,5-NS35 GN	<a href="#">3273096</a>	PTFIX 6/12X2,5-NS35A GN	<a href="#">3273228</a>	PTFIX 6/12X2,5-NS15A GN	<a href="#">3274196</a>
PTFIX 6/18X2,5-G GN	<a href="#">3273512</a>	PTFIX 6/18X2,5-NS35 GN	<a href="#">3273118</a>	PTFIX 6/18X2,5-NS35A GN	<a href="#">3273250</a>	PTFIX 6/18X2,5-NS15A GN	<a href="#">3274218</a>
PTFIX 6/6X2,5-G BN	<a href="#">3273470</a>	PTFIX 6/6X2,5-NS35 BN	<a href="#">3273076</a>	PTFIX 6/6X2,5-NS35A BN	<a href="#">3273208</a>	PTFIX 6/6X2,5-NS15A BN	<a href="#">3274176</a>
PTFIX 6/12X2,5-G BN	<a href="#">3273492</a>	PTFIX 6/12X2,5-NS35 BN	<a href="#">3273098</a>	PTFIX 6/12X2,5-NS35A BN	<a href="#">3273230</a>	PTFIX 6/12X2,5-NS15A BN	<a href="#">3274198</a>
PTFIX 6/18X2,5-G BN	<a href="#">3273514</a>	PTFIX 6/18X2,5-NS35 BN	<a href="#">3273120</a>	PTFIX 6/18X2,5-NS35A BN	<a href="#">3273252</a>	PTFIX 6/18X2,5-NS15A BN	<a href="#">3274220</a>
PTFIX 6/6X2,5-G WH	<a href="#">3273472</a>	PTFIX 6/6X2,5-NS35 WH	<a href="#">3273078</a>	PTFIX 6/6X2,5-NS35A WH	<a href="#">3273210</a>	PTFIX 6/6X2,5-NS15A WH	<a href="#">3274178</a>
PTFIX 6/12X2,5-G WH	<a href="#">3273494</a>	PTFIX 6/12X2,5-NS35 WH	<a href="#">3273100</a>	PTFIX 6/12X2,5-NS35A WH	<a href="#">3273232</a>	PTFIX 6/12X2,5-NS15A WH	<a href="#">3274200</a>
PTFIX 6/18X2,5-G WH	<a href="#">3273516</a>	PTFIX 6/18X2,5-NS35 WH	<a href="#">3273122</a>	PTFIX 6/18X2,5-NS35A WH	<a href="#">3273254</a>	PTFIX 6/18X2,5-NS15A WH	<a href="#">3274222</a>
PTFIX 6/6X2,5-G BK	<a href="#">3273474</a>	PTFIX 6/6X2,5-NS35 BK	<a href="#">3273080</a>	PTFIX 6/6X2,5-NS35A BK	<a href="#">3273212</a>	PTFIX 6/6X2,5-NS15A BK	<a href="#">3274180</a>
PTFIX 6/12X2,5-G BK	<a href="#">3273496</a>	PTFIX 6/12X2,5-NS35 BK	<a href="#">3273102</a>	PTFIX 6/12X2,5-NS35A BK	<a href="#">3273234</a>	PTFIX 6/12X2,5-NS15A BK	<a href="#">3274202</a>
PTFIX 6/18X2,5-G BK	<a href="#">3273518</a>	PTFIX 6/18X2,5-NS35 BK	<a href="#">3273124</a>	PTFIX 6/18X2,5-NS35A BK	<a href="#">3273256</a>	PTFIX 6/18X2,5-NS15A BK	<a href="#">3274224</a>
PTFIX 6/6X2,5-G VT	<a href="#">3273476</a>	PTFIX 6/6X2,5-NS35 VT	<a href="#">3273082</a>	PTFIX 6/6X2,5-NS35A VT	<a href="#">3273214</a>	PTFIX 6/6X2,5-NS15A VT	<a href="#">3274182</a>
PTFIX 6/12X2,5-G VT	<a href="#">3273498</a>	PTFIX 6/12X2,5-NS35 VT	<a href="#">3273104</a>	PTFIX 6/12X2,5-NS35A VT	<a href="#">3273236</a>	PTFIX 6/12X2,5-NS15A VT	<a href="#">3274204</a>
PTFIX 6/18X2,5-G VT	<a href="#">3273520</a>	PTFIX 6/18X2,5-NS35 VT	<a href="#">3273126</a>	PTFIX 6/18X2,5-NS35A VT	<a href="#">3273258</a>	PTFIX 6/18X2,5-NS15A VT	<a href="#">3274226</a>
PTFIX 6/6X2,5-G PK	<a href="#">3273477</a>	PTFIX 6/6X2,5-NS35 PK	<a href="#">3273083</a>	PTFIX 6/6X2,5-NS35A PK	<a href="#">3273215</a>	PTFIX 6/6X2,5-NS15A PK	<a href="#">3274183</a>
PTFIX 6/12X2,5-G PK	<a href="#">3273499</a>	PTFIX 6/12X2,5-NS35 PK	<a href="#">3273105</a>	PTFIX 6/12X2,5-NS35A PK	<a href="#">3273237</a>	PTFIX 6/12X2,5-NS15A PK	<a href="#">3274205</a>
PTFIX 6/18X2,5-G PK	<a href="#">3273521</a>	PTFIX 6/18X2,5-NS35 PK	<a href="#">3273127</a>	PTFIX 6/18X2,5-NS35A PK	<a href="#">3273259</a>	PTFIX 6/18X2,5-NS15A PK	<a href="#">3274227</a>
PTFIX 6/6X2,5-G OG	<a href="#">3273478</a>	PTFIX 6/6X2,5-NS35 OG	<a href="#">3273084</a>	PTFIX 6/6X2,5-NS35A OG	<a href="#">3273216</a>	PTFIX 6/6X2,5-NS15A OG	<a href="#">3274184</a>
PTFIX 6/12X2,5-G OG	<a href="#">3273500</a>	PTFIX 6/12X2,5-NS35 OG	<a href="#">3273106</a>	PTFIX 6/12X2,5-NS35A OG	<a href="#">3273238</a>	PTFIX 6/12X2,5-NS15A OG	<a href="#">3274206</a>
PTFIX 6/18X2,5-G OG	<a href="#">3273522</a>	PTFIX 6/18X2,5-NS35 OG	<a href="#">3273128</a>	PTFIX 6/18X2,5-NS35A OG	<a href="#">3273260</a>	PTFIX 6/18X2,5-NS15A OG	<a href="#">3274228</a>
PTFIX 6/6X2,5-FE-G	<a href="#">3273480</a>	PTFIX 6/6X2,5-NS35-FE	<a href="#">3273086</a>	PTFIX 6/6X2,5-NS35A-FE	<a href="#">3273218</a>	PTFIX 6/6X2,5-NS15A-FE	<a href="#">3274186</a>
PTFIX 6/12X2,5-FE-G	<a href="#">3273502</a>	PTFIX 6/12X2,5-NS35-FE	<a href="#">3273108</a>	PTFIX 6/12X2,5-NS35A-FE	<a href="#">3273240</a>	PTFIX 6/12X2,5-NS15A-FE	<a href="#">3274208</a>
PTFIX 6/18X2,5-FE-G	<a href="#">3273524</a>	PTFIX 6/18X2,5-NS35-FE	<a href="#">3273130</a>	PTFIX 6/18X2,5-NS35A-FE	<a href="#">3273262</a>	PTFIX 6/18X2,5-NS15A-FE	<a href="#">3274230</a>

## 4 mm<sup>2</sup> PTFIX distribution blocks



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly	
			Type	Order no.
Current / voltage	GY	2	PTFIX 2X4 GY	1028360
Solid / AWG		6	PTFIX 6X4 GY	3273790
Stranded / AWG		12	PTFIX 12X4 GY	3273812
Stranded, with ferrule with plastic sleeve		18	PTFIX 18X4 GY	3273834
Stranded, with ferrule without plastic sleeve	BU	2	PTFIX 2X4 BU	1028361
2 conductors with TWIN ferrule		6	PTFIX 6X4 BU	3273792
Can be plugged in directly: solid / with ferrule		12	PTFIX 12X4 BU	3273814
Stripping length		18	PTFIX 18X4 BU	3273836
	RD	2	PTFIX 2X4 RD	1028362
		6	PTFIX 6X4 RD	3273794
		12	PTFIX 12X4 RD	3273816
		18	PTFIX 18X4 RD	3273838
	YE	2	PTFIX 2X4 YE	1028363
		6	PTFIX 6X4 YE	3273796
		12	PTFIX 12X4 YE	3273818
		18	PTFIX 18X4 YE	3273840
	GN	2	PTFIX 2X4 GN	1028364
		6	PTFIX 6X4 GN	3273798
		12	PTFIX 12X4 GN	3273820
		18	PTFIX 18X4 GN	3273842
	BN	2	PTFIX 2X4 BN	1028365
		6	PTFIX 6X4 BN	3273800
		12	PTFIX 12X4 BN	3273822
		18	PTFIX 18X4 BN	3273844



Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 35 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 6X4-G GY	<a href="#">3273922</a>	PTFIX 6X4-NS35 GY	<a href="#">3273526</a>	PTFIX 6X4-NS35A GY	<a href="#">3273658</a>
PTFIX 12X4-G GY	<a href="#">3273944</a>	PTFIX 12X4-NS35 GY	<a href="#">3273548</a>	PTFIX 12X4-NS35A GY	<a href="#">3273680</a>
PTFIX 18X4-G GY	<a href="#">3273966</a>	PTFIX 18X4-NS35 GY	<a href="#">3273570</a>	PTFIX 18X4-NS35A GY	<a href="#">3273702</a>
PTFIX 6X4-G BU	<a href="#">3273924</a>	PTFIX 6X4-NS35 BU	<a href="#">3273528</a>	PTFIX 6X4-NS35A BU	<a href="#">3273660</a>
PTFIX 12X4-G BU	<a href="#">3273946</a>	PTFIX 12X4-NS35 BU	<a href="#">3273550</a>	PTFIX 12X4-NS35A BU	<a href="#">3273682</a>
PTFIX 18X4-G BU	<a href="#">3273968</a>	PTFIX 18X4-NS35 BU	<a href="#">3273572</a>	PTFIX 18X4-NS35A BU	<a href="#">3273704</a>
PTFIX 6X4-G RD	<a href="#">3273926</a>	PTFIX 6X4-NS35 RD	<a href="#">3273530</a>	PTFIX 6X4-NS35A RD	<a href="#">3273662</a>
PTFIX 12X4-G RD	<a href="#">3273948</a>	PTFIX 12X4-NS35 RD	<a href="#">3273552</a>	PTFIX 12X4-NS35A RD	<a href="#">3273684</a>
PTFIX 18X4-G RD	<a href="#">3273970</a>	PTFIX 18X4-NS35 RD	<a href="#">3273574</a>	PTFIX 18X4-NS35A RD	<a href="#">3273706</a>
PTFIX 6X4-G YE	<a href="#">3273928</a>	PTFIX 6X4-NS35 YE	<a href="#">3273532</a>	PTFIX 6X4-NS35A YE	<a href="#">3273664</a>
PTFIX 12X4-G YE	<a href="#">3273950</a>	PTFIX 12X4-NS35 YE	<a href="#">3273554</a>	PTFIX 12X4-NS35A YE	<a href="#">3273686</a>
PTFIX 18X4-G YE	<a href="#">3273972</a>	PTFIX 18X4-NS35 YE	<a href="#">3273576</a>	PTFIX 18X4-NS35A YE	<a href="#">3273708</a>
PTFIX 6X4-G GN	<a href="#">3273930</a>	PTFIX 6X4-NS35 GN	<a href="#">3273534</a>	PTFIX 6X4-NS35A GN	<a href="#">3273666</a>
PTFIX 12X4-G GN	<a href="#">3273952</a>	PTFIX 12X4-NS35 GN	<a href="#">3273556</a>	PTFIX 12X4-NS35A GN	<a href="#">3273688</a>
PTFIX 18X4-G GN	<a href="#">3273974</a>	PTFIX 18X4-NS35 GN	<a href="#">3273578</a>	PTFIX 18X4-NS35A GN	<a href="#">3273710</a>
PTFIX 6X4-G BN	<a href="#">3273932</a>	PTFIX 6X4-NS35 BN	<a href="#">3273536</a>	PTFIX 6X4-NS35A BN	<a href="#">3273668</a>
PTFIX 12X4-G BN	<a href="#">3273954</a>	PTFIX 12X4-NS35 BN	<a href="#">3273558</a>	PTFIX 12X4-NS35A BN	<a href="#">3273690</a>
PTFIX 18X4-G BN	<a href="#">3273976</a>	PTFIX 18X4-NS35 BN	<a href="#">3273580</a>	PTFIX 18X4-NS35A BN	<a href="#">3273712</a>

## 4 mm<sup>2</sup> PTFIX distribution blocks



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly	
			Type	Order no.
Current / voltage	WH	2	PTFIX 2X4 WH	<a href="#">1028366</a>
Solid / AWG		6	PTFIX 6X4 WH	<a href="#">3273802</a>
Stranded / AWG		12	PTFIX 12X4 WH	<a href="#">3273824</a>
Stranded, with ferrule with plastic sleeve		18	PTFIX 18X4 WH	<a href="#">3273846</a>
Stranded, with ferrule without plastic sleeve	BK	2	PTFIX 2X4 BK	<a href="#">1028367</a>
2 conductors with TWIN ferrule		6	PTFIX 6X4 BK	<a href="#">3273804</a>
Can be plugged in directly: solid / with ferrule		12	PTFIX 12X4 BK	<a href="#">3273826</a>
Stripping length		18	PTFIX 18X4 BK	<a href="#">3273848</a>
	VT	2	PTFIX 2X4 VT	<a href="#">1028368</a>
		6	PTFIX 6X4 VT	<a href="#">3273806</a>
		12	PTFIX 12X4 VT	<a href="#">3273828</a>
		18	PTFIX 18X4 VT	<a href="#">3273850</a>
	PK	2	PTFIX 2X4 PK	<a href="#">1028369</a>
		6	PTFIX 6X4 PK	<a href="#">3273807</a>
		12	PTFIX 12X4 PK	<a href="#">3273829</a>
		18	PTFIX 18X4 PK	<a href="#">3273851</a>
	OG	2	PTFIX 2X4 OG	<a href="#">1028370</a>
		6	PTFIX 6X4 OG	<a href="#">3273808</a>
		12	PTFIX 12X4 OG	<a href="#">3273830</a>
		18	PTFIX 18X4 OG	<a href="#">3273852</a>
	FE	2	PTFIX 2X4-FE	<a href="#">1028371</a>
		6	PTFIX 6X4-FE	<a href="#">3273810</a>
		12	PTFIX 12X4-FE	<a href="#">3273832</a>
		18	PTFIX 18X4-FE	<a href="#">3273854</a>



Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 15 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 6X4-G WH	<a href="#">3273934</a>	PTFIX 6X4-NS35 WH	<a href="#">3273538</a>	PTFIX 6X4-NS35A WH	<a href="#">3273670</a>
PTFIX 12X4-G WH	<a href="#">3273956</a>	PTFIX 12X4-NS35 WH	<a href="#">3273560</a>	PTFIX 12X4-NS35A WH	<a href="#">3273692</a>
PTFIX 18X4-G WH	<a href="#">3273978</a>	PTFIX 18X4-NS35 WH	<a href="#">3273582</a>	PTFIX 18X4-NS35A WH	<a href="#">3273714</a>
PTFIX 6X4-G BK	<a href="#">3273936</a>	PTFIX 6X4-NS35 BK	<a href="#">3273540</a>	PTFIX 6X4-NS35A BK	<a href="#">3273672</a>
PTFIX 12X4-G BK	<a href="#">3273958</a>	PTFIX 12X4-NS35 BK	<a href="#">3273562</a>	PTFIX 12X4-NS35A BK	<a href="#">3273694</a>
PTFIX 18X4-G BK	<a href="#">3273980</a>	PTFIX 18X4-NS35 BK	<a href="#">3273584</a>	PTFIX 18X4-NS35A BK	<a href="#">3273716</a>
PTFIX 6X4-G VT	<a href="#">3273938</a>	PTFIX 6X4-NS35 VT	<a href="#">3273542</a>	PTFIX 6X4-NS35A VT	<a href="#">3273674</a>
PTFIX 12X4-G VT	<a href="#">3273960</a>	PTFIX 12X4-NS35 VT	<a href="#">3273564</a>	PTFIX 12X4-NS35A VT	<a href="#">3273696</a>
PTFIX 18X4-G VT	<a href="#">3273982</a>	PTFIX 18X4-NS35 VT	<a href="#">3273586</a>	PTFIX 18X4-NS35A VT	<a href="#">3273718</a>
PTFIX 6X4-G PK	<a href="#">3273939</a>	PTFIX 6X4-NS35 PK	<a href="#">3273543</a>	PTFIX 6X4-NS35A PK	<a href="#">3273675</a>
PTFIX 12X4-G PK	<a href="#">3273961</a>	PTFIX 12X4-NS35 PK	<a href="#">3273565</a>	PTFIX 12X4-NS35A PK	<a href="#">3273697</a>
PTFIX 18X4-G PK	<a href="#">3273983</a>	PTFIX 18X4-NS35 PK	<a href="#">3273587</a>	PTFIX 18X4-NS35A PK	<a href="#">3273719</a>
PTFIX 6X4-G OG	<a href="#">3273940</a>	PTFIX 6X4-NS35 OG	<a href="#">3273544</a>	PTFIX 6X4-NS35A OG	<a href="#">3273676</a>
PTFIX 12X4-G OG	<a href="#">3273962</a>	PTFIX 12X4-NS35 OG	<a href="#">3273566</a>	PTFIX 12X4-NS35A OG	<a href="#">3273698</a>
PTFIX 18X4-G OG	<a href="#">3273984</a>	PTFIX 18X4-NS35 OG	<a href="#">3273588</a>	PTFIX 18X4-NS35A OG	<a href="#">3273720</a>
PTFIX 6X4-FE-G	<a href="#">3273942</a>	PTFIX 6X4-NS35-FE	<a href="#">3273546</a>	PTFIX 6X4-NS35A-FE	<a href="#">3273678</a>
PTFIX 12X4-FE-G	<a href="#">3273964</a>	PTFIX 12X4-NS35-FE	<a href="#">3273568</a>	PTFIX 12X4-NS35A-FE	<a href="#">3273700</a>
PTFIX 18X4-FE-G	<a href="#">3273986</a>	PTFIX 18X4-NS35-FE	<a href="#">3273590</a>	PTFIX 18X4-NS35A-FE	<a href="#">3273722</a>

## 4 mm<sup>2</sup> PTFIX distribution blocks with 10 mm<sup>2</sup> feed-in



Technical data	Color	Number of terminal points	Basic blocks, mounting type: self-assembly	
			Type	Order no.
<b>Power contact:</b>	GY	7	PTFIX 10/6X4 GY	<a href="#">3273856</a>
Current / voltage		13	PTFIX 10/12X4 GY	<a href="#">3273878</a>
Solid / AWG		19	PTFIX 10/18X4 GY	<a href="#">3273900</a>
Stranded / AWG	BU	7	PTFIX 10/6X4 BU	<a href="#">3273858</a>
Stranded, with ferrule with plastic sleeve		13	PTFIX 10/12X4 BU	<a href="#">3273880</a>
Stranded, with ferrule without plastic sleeve		19	PTFIX 10/18X4 BU	<a href="#">3273902</a>
2 conductors with TWIN ferrule	RD	7	PTFIX 10/6X4 RD	<a href="#">3273860</a>
Can be plugged in directly: solid / with ferrule		13	PTFIX 10/12X4 RD	<a href="#">3273882</a>
Stripping length		19	PTFIX 10/18X4 RD	<a href="#">3273904</a>
	YE	7	PTFIX 10/6X4 YE	<a href="#">3273862</a>
<b>Pick-off contacts:</b>		13	PTFIX 10/12X4 YE	<a href="#">3273884</a>
Current / voltage		19	PTFIX 10/18X4 YE	<a href="#">3273906</a>
Solid / AWG	GN	7	PTFIX 10/6X4 GN	<a href="#">3273864</a>
Stranded / AWG		13	PTFIX 10/12X4 GN	<a href="#">3273886</a>
Stranded, with ferrule with plastic sleeve		19	PTFIX 10/18X4 GN	<a href="#">3273908</a>
Stranded, with ferrule without plastic sleeve	BN	7	PTFIX 10/6X4 BN	<a href="#">3273866</a>
2 conductors with TWIN ferrule		13	PTFIX 10/12X4 BN	<a href="#">3273888</a>
Can be plugged in directly: solid / with ferrule		19	PTFIX 10/18X4 BN	<a href="#">3273910</a>
Stripping length	WH	7	PTFIX 10/6X4 WH	<a href="#">3273868</a>
		13	PTFIX 10/12X4 WH	<a href="#">3273890</a>
		19	PTFIX 10/18X4 WH	<a href="#">3273912</a>
	BK	7	PTFIX 10/6X4 BK	<a href="#">3273870</a>
		13	PTFIX 10/12X4 BK	<a href="#">3273892</a>
		19	PTFIX 10/18X4 BK	<a href="#">3273914</a>
	VT	7	PTFIX 10/6X4 VT	<a href="#">3273872</a>
		13	PTFIX 10/12X4 VT	<a href="#">3273894</a>
		19	PTFIX 10/18X4 VT	<a href="#">3273916</a>
	PK	6	PTFIX 10/6X4 PK	<a href="#">3273873</a>
		12	PTFIX 10/12X4 PK	<a href="#">3273895</a>
		18	PTFIX 10/18X4 PK	<a href="#">3273917</a>
	OG	7	PTFIX 10/6X4 OG	<a href="#">3273874</a>
		13	PTFIX 10/12X4 OG	<a href="#">3273896</a>
		19	PTFIX 10/18X4 OG	<a href="#">3273918</a>
	FE	7	PTFIX 10/6X4-FE	<a href="#">3273876</a>
		13	PTFIX 10/12X4-FE	<a href="#">3273898</a>
		19	PTFIX 10/18X4-FE	<a href="#">3273920</a>






Adhesive mounting		Mounting on NS 35 DIN rail, transverse to the DIN rail		Mounting on NS 35 DIN rail, along the DIN rail	
Type	Order no.	Type	Order no.	Type	Order no.
PTFIX 10/6X4-G GY	3273988	PTFIX 10/6X4-NS35 GY	3273592	PTFIX 10/6X4-NS35A GY	3273724
PTFIX 10/12X4-G GY	3274010	PTFIX 10/12X4-NS35 GY	3273614	PTFIX 10/12X4-NS35A GY	3273746
PTFIX 10/18X4-G GY	3274032	PTFIX 10/18X4-NS35 GY	3273636	PTFIX 10/18X4-NS35A GY	3273768
PTFIX 10/6X4-G BU	3273990	PTFIX 10/6X4-NS35 BU	3273594	PTFIX 10/6X4-NS35A BU	3273726
PTFIX 10/12X4-G BU	3274012	PTFIX 10/12X4-NS35 BU	3273616	PTFIX 10/12X4-NS35A BU	3273748
PTFIX 10/18X4-G BU	3274034	PTFIX 10/18X4-NS35 BU	3273638	PTFIX 10/18X4-NS35A BU	3273770
PTFIX 10/6X4-G RD	3273992	PTFIX 10/6X4-NS35 RD	3273596	PTFIX 10/6X4-NS35A RD	3273728
PTFIX 10/12X4-G RD	3274014	PTFIX 10/12X4-NS35 RD	3273618	PTFIX 10/12X4-NS35A RD	3273750
PTFIX 10/18X4-G RD	3274036	PTFIX 10/18X4-NS35 RD	3273640	PTFIX 10/18X4-NS35A RD	3273772
PTFIX 10/6X4-G YE	3273994	PTFIX 10/6X4-NS35 YE	3273598	PTFIX 10/6X4-NS35A YE	3273730
PTFIX 10/12X4-G YE	3274016	PTFIX 10/12X4-NS35 YE	3273620	PTFIX 10/12X4-NS35A YE	3273752
PTFIX 10/18X4-G YE	3274038	PTFIX 10/18X4-NS35 YE	3273642	PTFIX 10/18X4-NS35A YE	3273774
PTFIX 10/6X4-G GN	3273996	PTFIX 10/6X4-NS35 GN	3273600	PTFIX 10/6X4-NS35A GN	3273732
PTFIX 10/12X4-G GN	3274018	PTFIX 10/12X4-NS35 GN	3273622	PTFIX 10/12X4-NS35A GN	3273754
PTFIX 10/18X4-G GN	3274040	PTFIX 10/18X4-NS35 GN	3273644	PTFIX 10/18X4-NS35A GN	3273776
PTFIX 10/6X4-G BN	3273998	PTFIX 10/6X4-NS35 BN	3273602	PTFIX 10/6X4-NS35A BN	3273734
PTFIX 10/12X4-G BN	3274020	PTFIX 10/12X4-NS35 BN	3273624	PTFIX 10/12X4-NS35A BN	3273756
PTFIX 10/18X4-G BN	3274042	PTFIX 10/18X4-NS35 BN	3273646	PTFIX 10/18X4-NS35A BN	3273778
PTFIX 10/6X4-G WH	3274000	PTFIX 10/6X4-NS35 WH	3273604	PTFIX 10/6X4-NS35A WH	3273736
PTFIX 10/12X4-G WH	3274022	PTFIX 10/12X4-NS35 WH	3273626	PTFIX 10/12X4-NS35A WH	3273758
PTFIX 10/18X4-G WH	3274044	PTFIX 10/18X4-NS35 WH	3273648	PTFIX 10/18X4-NS35A WH	3273780
PTFIX 10/6X4-G BK	3274002	PTFIX 10/6X4-NS35 BK	3273606	PTFIX 10/6X4-NS35A BK	3273738
PTFIX 10/12X4-G BK	3274024	PTFIX 10/12X4-NS35 BK	3273628	PTFIX 10/12X4-NS35A BK	3273760
PTFIX 10/18X4-G BK	3274046	PTFIX 10/18X4-NS35 BK	3273650	PTFIX 10/18X4-NS35A BK	3273782
PTFIX 10/6X4-G VT	3274004	PTFIX 10/6X4-NS35 VT	3273608	PTFIX 10/6X4-NS35A VT	3273740
PTFIX 10/12X4-G VT	3274026	PTFIX 10/12X4-NS35 VT	3273630	PTFIX 10/12X4-NS35A VT	3273762
PTFIX 10/18X4-G VT	3274048	PTFIX 10/18X4-NS35 VT	3273652	PTFIX 10/18X4-NS35A VT	3273784
PTFIX 10/6X4-G PK	3274005	PTFIX 10/6X4-NS35 PK	3273609	PTFIX 10/6X4-NS35A PK	3273741
PTFIX 10/12X4-G PK	3274027	PTFIX 10/12X4-NS35 PK	3273631	PTFIX 10/12X4-NS35A PK	3273763
PTFIX 10/18X4-G PK	3274049	PTFIX 10/18X4-NS35 PK	3273653	PTFIX 10/18X4-NS35A PK	3273785
PTFIX 10/6X4-G OG	3274006	PTFIX 10/6X4-NS35 OG	3273610	PTFIX 10/6X4-NS35A OG	3273742
PTFIX 10/12X4-G OG	3274028	PTFIX 10/12X4-NS35 OG	3273632	PTFIX 10/12X4-NS35A OG	3273764
PTFIX 10/18X4-G OG	3274050	PTFIX 10/18X4-NS35 OG	3273654	PTFIX 10/18X4-NS35A OG	3273786
PTFIX 10/6X4-FE-G	3274008	PTFIX 10/6X4-NS35-FE	3273612	PTFIX 10/6X4-NS35A-FE	3273744
PTFIX 10/12X4-FE-G	3274030	PTFIX 10/12X4-NS35-FE	3273634	PTFIX 10/12X4-NS35A-FE	3273766
PTFIX 10/18X4-FE-G	3274052	PTFIX 10/18X4-NS35-FE	3273656	PTFIX 10/18X4-NS35A-FE	3273788

## PTFIX accessories

Reducing bridge on PTFIX 2,5 and PTFIX 4 with standard feed-through terminal blocks			
Feed-in			
Terminal block	Cross section [mm <sup>2</sup> ]	Distribution block	Reducing bridge
PT 6 3211813	6	PTFIX ...X2,5-NS35A ... PTFIX ...X4-NS35A ...	RB ST 6-(2,5/4) 3030860
PT 10 3212120	10	PTFIX ...X2,5-NS35A ... PTFIX ...X4-NS35A ...	RB ST 10-(2,5/4) 3030873
PT 16 N 3212138	16	PTFIX ...X2,5-NS35A ... PTFIX ...X4-NS35A ...	RB ST 16-(2,5/4) 3030886
PTPOWER 35 3212064	35	PTFIX ...X2,5-NS35A ... PTFIX ...X4-NS35A ...	RB PTPOWER 35-ST(2,5/4) 3030900

Example of a 10 mm<sup>2</sup> feed-in with PT 10 and RB ST 10-(2,5/4) reducing bridge on PTFIX 18X2,5-NS35A GY

①		②		③		
Distribution block	Plug-in bridges 2-pos.	Test adapter	Test plug consisting of:		Screwdriver	Marking
			Metal part, 2.3 mm diameter	Insulating sleeve, red		
PTFIX ...X1,5 ...	FBS 2-4 3030116	MPS-MT 1-S4-B RD 1982800			SZF 0-0,4X2,5 1204504	
PTFIX ...X1,5-G ...						
PTFIX ...X1,5-NS15A ...						
PTFIX ...X2,5 ...	FBS 2-5 3030161					TML (EX3,8)R 0801837
PTFIX ...X2,5-G ...						
PTFIX ...X2,5-NS35 ...	FBS 2-6 3030336		MPS-MT 0201744	MPS-IH RD 0201676	SZF 1-0,6X3,5 1204517	
PTFIX ...X2,5-NS35A ...						
PTFIX ...X2,5-NS15A ...						
PTFIX 6/...X2,5 ...						



④

⑤

⑥

⑦

⑧

Flange for screw mounting	Group marker carrier	Adapter transverse to the NS 35 DIN rail	DIN rail adapter for NS 35		DIN rail adapter for NS 15	
			With end bracket function	Without end bracket function	With end bracket function	Without end bracket function
PTFIX 1,5-F 1049503	KLM 3 0811969	PTFIX 1,5-NS35 1049497		PTFIX 1,5-NS35AD 1049498		PTFIX 1,5-NS15A 1049500
PTFIX-F 3274060	KLM 3 0811969	PTFIX-NS35 3274054	PTFIX-NS35A-FIX 3274057	PTFIX-NS35A 3274056	PTFIX-NS15A-FIX 3274059	PTFIX-NS15A 3274058
PTFIX-F 3274060	KLM 3 0811969	PTFIX-NS35 3274054	PTFIX-NS35A-FIX 3274057	PTFIX-NS35A 3274056	PTFIX-NS15A-FIX 3274059	PTFIX-NS15A 3274058

## In dialog with customers and partners worldwide

Phoenix Contact is a globally present, Germany-based market leader. Our group is synonym for future-oriented components, systems, and solutions in the fields of electrical engineering, electronics, and automation. A global network across more than 100 countries, and 16,500 employees ensure a close proximity to our customers, which we believe is particularly important.

The wide variety of our innovative products makes it easy for our customers to find future-oriented solutions for different applications and industries. We especially focus on the fields of energy, infrastructure, process and factory automation.



You will find our complete product range at:  
[phoenixcontact.com](http://phoenixcontact.com)

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstraße 8  
32825 Blomberg, Germany  
Phone: +49 52 35 3-00  
Fax: +49 52 35 3-4 12 00  
E-mail: [info@phoenixcontact.com](mailto:info@phoenixcontact.com)  
[phoenixcontact.com](http://phoenixcontact.com)